

# INDEX MAPS.

**T. 3 S R. 7 W 2<sup>d</sup> Mer.**

72	72	71	71	70	70
100 6	80 5	79 4	77 3	75 2	73 1 69
91	80	80	78	77	75
100 7	92 8	79 9	78 10	75 11	73 12 69
92	92	84	85	78	76
100 18	93 17	89 16	86 15	83 14	74 13 69
93	93	89	86	83	81
101 19	93 20	90 21	87 22	84 23	81 24 96
94	94	90	87	84	81
101 30	94 29	90 28	87 27	85 26	82 25 96
95	95	91	88	85	82
102 31	96 32	91 33	88 34	85 35	83 36 97
98	99-98	99-98	99-98	99-97	99-97

**T. 4 S R. 7 W. 2<sup>d</sup> Mer.**

104-103	104-103	104-103	104-103	104-103	104-103
128 6	124 5	124 4	123 3	123 2	123 1 126
121	122	121	122	122	125
128 7	121 8	121 9	120 10	120 11	120 12 126
119	119-118	118	118	118	120
128 18	119 17	117 16	117 15	117 14	117 13 126
115	115	115	114	114	116
127 19	114 20	114 21	114 22	113 23	113 24 125
111	111	112	112	112	113
127 30	111 29	110 28	109 27	108 26	107 25 125
111	110	109	108	107	106
127 31	110 32	109 33	108 34	107 35	106 36 125
105	125	105	105	105	125

The figures on the lines refer to the page.





T. No 3. S. Co. No 7 W. 2<sup>nd</sup> Mer.

40. 00 Set a Post corner to G<sup>t</sup> Sec. from which a W. Oak 12. in.  
diam: bears N. 17. E. 21. lks. dist: & a W. Oak 22. in. in  
diam: bears N. 39. W. 59. lks. dist:
75. 73 Intersect the S. Boundary line at the Post between Towns  
3. Co. 7. & Town 3. Range 6. from which an Oak 20. in. in  
diam: bears S. 41. E. 38. lks. dist: & an Oak 14. in. diam:  
bears S. 42. W. 03. lks. dist. Course of the line is N. 72. 30.  
W. Wednesday Nov. 7<sup>th</sup> 1804.

- West On the N. line of Town 3. S. Co. 7. W. & Sec. 1. mostly  
hilly Upland, 2<sup>nd</sup> rate. Timber. Oak. & Hickory.  
& some bottom on the runs.
6. 00 Crossed a brook 20. lks wide. bears N. 20. W.
17. 27 A W. Oak 21. in. in diam: on the line
18. 20 A Spring run 2. lks. wide. Course S. W.
23. 00 A Run 3. lks. wide. Course S. E.
40. 00 Set a Post corner to G<sup>t</sup> Sec. from which an Oak 10. in.  
diam: bears N. 63. E. 41. lks. dist: & an Oak 10. in. diam:  
bears S. 33. W. 55. lks. dist:
45. 50 A Run 3. lks. wide. Course S. E.
69. 50 A Run 3. lks. wide. Course S. E.
77. 00 Town Oak 16. in. diam: in the line.
80. 00 Set a Post corner of Sec. 1. & 2. from which a Dogwood  
6. in. diam: bears S. 6. E. 24. lks. dist: & a W. Oak 24. in.  
diam: bears S. 22. E. 75. lks. dist:

- West On the N. line of T. 3. S. Co. 7. W. & Sec. 2. Cross hilly  
2<sup>nd</sup> rate Upland, Timber. Oak. Gum. Hick. & Dogwood &c.
24. 00 To a Run 3. lks. wide. Course N. W.
24. 86 To an Oak 24. in. diam: in the line.
31. 00 A Run 3. lks. wide. Course N. W.
31. 50 A Run 3. lks. wide. Course N. E.
39. 00 A Run 3. lks. wide. Course N. E.
40. 00 Set a Post corner to G<sup>t</sup> Sec. from which a W. Oak 14.  
in. diam: bears N. 44. 1/2. E. 41. lks. dist: & a W. Oak 14.  
in. in diam: bears S. 24. W. 27. lks. dist:





T. N. 3. G. R. N. 7. W. 2<sup>nd</sup> Mer.

South Between Sec<sup>s</sup> 1 & 2. T. 3. G. R. 7. W. Over hilly 1<sup>st</sup>.  
rate Upland. Timber. Oak. Hickory Gum. Elm & Dogwood.

13. 50 A Run 3. lks. wide. Course E.

23. 48 A Hickory 14. in. diam. in the line.

40. 00 Get a Port Corner to G<sup>th</sup> Sec. from which an Elm 14. in. diam. bears  
N. 21. W. 10. lks. dist. & an Oak 8. in. diam. bears G. 44. E. 27. lks.

40. 00 A Run 4. lks. wide. Course G. E.

46. 00 A Run 4. lks. wide - East.

48. 00 A Run 3. lks. wide - N. E.

57. 50 A Run 2. lks. wide. - N. W.

60. 23 A Hickory 10. in. diam. in the line.

77. 50 A Run 2. lks. wide; Course N. E.

80. 00 Get a Port Corner of Sec<sup>s</sup> 1. 2. 11. & 12. T. 3. G. R. 7. W.  
from which a Dogwood, 6. in. diam. bears N. 40. W. E. 19. lks. dist.  
& a W. Oak 20. in. diam. bears G. 61. W. 50. lks. dist.

East Between Sec<sup>s</sup> 1 & 12. T. 3. G. R. 7. W. Over hilly,  
2<sup>nd</sup> rate Upland. Timber. W. Oak. Hick<sup>y</sup> Dogwood, &c. &c.  
Thick Underwood.

1. 70 A Run 3. lks. wide. N. W.

10. 50 To a Run 4. lks. wide. Course N. E.

22. 50 A Run 3. lks. wide. Course N.

22. 62 To an Oak 24. in. diam. in the line.

24. 00 To a Run 4. lks. wide. Course N. W.

35. 32 To a W. Oak 9. in. diam. in the line.

39. 95 Get a Port Corner to G<sup>th</sup> Sec. from which a W. Oak 15. in. in  
diam. bears N. 15. W. 47. lks. dist. & a W. Oak 20. in. diam.  
bears G. 27. E. 45. lks. dist.

46. 50 To a Run 3. lks. wide. Course N.

75. 50 To a Run 2. lks. wide. Course G.

79. 90 Intersect the E. Range line at a Port. Corner of Sec<sup>s</sup> 1 & 12.

South Between Sec<sup>s</sup> 11. & 12. T. 3. G. R. 7. W. Over hilly  
Upland, 2<sup>nd</sup> rate Timber W. & B. Oak. Hickory & Gum  
Thick Underwood &c.

11. 00 To a Run 2. lks. wide Course N. W.

T. N. B. S. N. No 7. W. 2<sup>nd</sup> Mer.

34. 04 To a W. Oak 20. in. diam. in the line.  
 40. 00 Get a Post corner to G<sup>th</sup> Sec. from which an Oak 21. in. diam. bears S. 72. W. 47. lbs. dist. & an Oak 12. in. diam. bears N. 71. E. 56. lbs. dist.  
 57. 54 An Oak 12. in. diam. in the line.  
 59. 50 A Run 2. lbs. wide. Course S. W.  
 74. 50 To a Run 4. lbs. wide. Course S. E.  
 76. 00 To a Run 3. lbs. wide. Course E.  
 80. 00 Get a Post corner of Sec. 11. & 12. 13. & 14. from which a Gum 9. in. diam. bears S. 34. E. 21. lbs. dist. & W. Oak 20. in. diam. bears N. 24. W. 14. lbs. wide. dist.

East Between Sec. 12. & 13. T. 3. S. E. 7. W. Over hilly Upland. 2<sup>nd</sup> rate. Timber. same as the last.

8. 00 A Run 5. lbs. wide. Course. S. E.  
 14. 26 To a W. Oak 9. in. diam. in the line  
 20. 50 A Run 2. lbs. wide. Course S.  
 24. 70 A Run 3. lbs. wide. Course S.  
 29. 50 To a Run 4. lbs. wide. Course S. W.  
 37. 50 To a Run 3. lbs. wide. Course S. W.  
 39. 97 Get a Post corner to G<sup>th</sup> Sec. from which an Oak 16. in. in diam. bears N. 15. W. 14. lbs. dist. & an Oak 7. in. diam. bears S. 65. E. 34. lbs. dist.  
 52. 49 An Oak 20. in. diam. in the line.  
 56. 00 To a Run 4. lbs. wide. Course S. E.  
 57. 50 To a Run 3. lbs. wide. Course S. W.  
 79. 94 Intersected the E. Range line at the Post cor. of Sec. 12. & 13.

South Between Sec. 13. & 14. T. 3. S. E. 7. W. Over hilly 2<sup>nd</sup> rate Upland. Timber. Oak. Hickory Elm & Gum. White Underwood. &c.

19. 00 To a Run 4. lbs. wide. Course S. E.  
 30. 10 To a Hickory 15. in. diam. in the line.  
 40. 00 Get a Post corner to G<sup>th</sup> Sec. from which a W. Oak 24. in. in diam. bears N. 66. W. 25. lbs. dist. & a W. Oak 22. in. diam. bears S. 46. E. 19. lbs. dist.



T. N. B. S. R. N. 7. W. 2<sup>nd</sup> Mer.

43. 11 To a Run 3. lks. wide. Course E.  
 45. 11 To a Run 2. lks. wide. Course E.  
 46. 51 To a Run 4. lks. wide. Course N.E.  
 45 76 Intersecting the S. line of the Purchase, at a Post. Between Sec:  
 13. & 14. T. 3. S. R. 7. W. from which an Elm 9. in. diam.  
 bears N. 12<sup>o</sup> W. 54 lks. & a Gum 16. in. diam. bears N. 37. E. 44 lks. dist.

- South Between Sec. 2. & 3. T. 3. S. R. 7. W. Over 2<sup>nd</sup> rate  
 Upland, rising & descending. W. & B. Oak, Hick, Gum, timber.  
 8. 50 To a Run 3. lks. wide. Course S. W.  
 12. 73 To an Oak 20. in. diam. in the line.  
 15. 50 To a Run 3. lks. wide. Course W.  
 40. 11 Get a Post corner to Sec. from which a W. Oak 18. in. diam. bears  
 N. 26. W. 52. lks. dist. & a W. Oak 20. in. diam. bears S. 24 E. 63. lks.  
 42. 51 To a Run 6. lks. wide. Course S. W.  
 65. 10 To a Hickory 10. in. diam. in the line.  
 80. 00 Get a Post corner of Sec. 2. 3. 10. & 11. T. 3. S. R. 7. W. from  
 which a Gum 10. in. diam. bears N. 70. E. 41. lks. dist. & a Gum  
 7. in. diam. bears S. 44. W. 32 lks. dist.

- East Between Sec. 2. & 11. T. 3. S. R. 7. W. Over hilly 2<sup>nd</sup> rate  
 Upland. gently rising & descending. Timber. Oak. Gum  
 Hickory & Dogwood.  
 7. 00 To a Run 4. lks. wide. Course S. W.  
 14. 20 An Oak 14. in. diam. on the line.  
 32. 00 To a Run 2. lks. wide. Course E.  
 40. 15 Get a Post corner to Sec. from which, an Oak 12. in. in  
 diam. bears S. 73. W. 45. lks. dist. & a Cherry 8. in. diam.  
 bears N. 40. E. 36. lks. dist.  
 42. 00 To a Run 4. lks. wide. Course S. W.  
 53. 04 To an Oak 16. in. diam. in the line.  
 53. 10 To a Run 4. lks. wide. Course. N. W.  
 57. 00 " " " " " " S. W.  
 80. 30 Intersecting the N. & S. line, at a Post corner of Sec. 1. 2. 11. & 12.

- South Between Sec. 10. & 11. T. 3. S. R. 7. W.





T<sup>h</sup> 3. S. C. N<sup>o</sup> 7. W. 2<sup>nd</sup> Mer.

South Between Sec<sup>s</sup> 14 & 15. T. 3. S. C. N<sup>o</sup> 7 W  
 20. 00 To a Run 4. lbs. wide. Course N. E.  
 23. 00 Intersect the S Boundary line, & Set a Post Between Sec<sup>s</sup>  
 14 & 15. from which a B. Oak, 21. in<sup>d</sup> diam<sup>t</sup> bears N. 32. W.  
 18. lbs. dist<sup>t</sup> & a B. Oak 21. in<sup>d</sup> diam<sup>t</sup> bears N. 42. E. 5. lbs. dist<sup>t</sup>  
 Over hilly Upland. Timber, the same as the last,

South Between Sec<sup>s</sup> 3 & 4. T. 3. S. C. N<sup>o</sup> 7 W  
 4. 50 To a Run 4. lbs. wide. Course S. E.  
 17. 50 The Bed of a Run 3. lbs. wide. Course S. E.  
 34. 50 To a Run 3. lbs. wide. Course S. E.  
 40. 00 Set a Post Corner to Gr<sup>d</sup> Sec. from which a M. Oak 10. in<sup>d</sup> diam<sup>t</sup>  
 bears S. Mye. W. 30. lbs. & a Run 8. in<sup>d</sup> diam<sup>t</sup> bears N. 29. E. 44. lbs. dist<sup>t</sup>  
 44. 59 A B. Oak 19. in<sup>d</sup> diam<sup>t</sup> on the line,  
 50. 00 1<sup>st</sup> rate Bottom land, Elm. Maple Beech. W. Walnut. Sugar. &c. &c.  
 56. 00 A Brook 15. lbs. wide. Course S. W.  
 56. 50 " Same " " " " S. E.  
 58. 00 " Same " " " " N. 70. W.  
 63. 00 To a Brook 12. lbs. wide. Course N. W.  
 70. 00 To 2<sup>nd</sup> rate Upland. Timber. Oak. & Hickory.  
 80. 00 Set a Post Corner of Sec<sup>s</sup> 3. 4. 9. & 10. from which a M. Oak 20.  
 in<sup>d</sup> diam<sup>t</sup> bears N. 69. W. 37. lbs. dist<sup>t</sup> & a M. Oak 21. in<sup>d</sup> diam<sup>t</sup>  
 bears S. 54. E. 47. lbs. dist<sup>t</sup> Over 2<sup>nd</sup> rate Upland. Timber.  
 Oak, Hickory Gum. Ash. &c.

East Between Sec<sup>s</sup> 3 & 10. T. 3. S. C. N<sup>o</sup> 7 W.  
 1. 50 A Run 4. lbs. wide. Course N  
 10. 67 To a M. Oak 16. in diam<sup>t</sup> on the line  
 24. 00 2<sup>nd</sup> rate Bottom land. Timber. W. & B. Walnut. Sugar. Ash. &c.  
 27. 85 A Sycamore 9. in<sup>d</sup> diam<sup>t</sup> in the line  
 31. 50 A Brook 20. lbs. wide. Course N. W.  
 37. 50 " Same " " " " S. W.  
 39. 97 Set a Post Corner to Gr<sup>d</sup> Sec. from which a W. Oak 12. in<sup>d</sup> in  
 diam<sup>t</sup> bears N. 50. E. 44. lbs. dist<sup>t</sup> & an Ash 24. in<sup>d</sup> diam<sup>t</sup> bears  
 S. 55. W. 67. lbs. dist<sup>t</sup>  
 42. 00 A Brook 20. lbs. wide. Course N. W.

T. N. 3. T. R. N. 7. W. 2<sup>nd</sup> Mer.

- 1/3 00 A Brook 20. lbs. wide. Course S. W.  
 56. 00 To a Brook 12. lbs. wide. Course N. W.  
 60. 00 2<sup>nd</sup> rate Upland. Timber. Oak. Hick<sup>4</sup> Gum. Ash. Poplar.  
 79. 94 Intersect the N. & S. line, at a Post Corner of Sec. 2. 3. 10. 8/11.  
 T. 3. South of Range N. 7. W. Over hilly 2<sup>nd</sup> rate  
 Upland. Timber. Oak. Hickory & Gum.
- 

## South Between Sec. 9. &amp; 10. T. 3. T. R. 7. W.

16. 50 The Bed of a Run 3. lbs. wide Course N. W.  
 23. 80 A W. Oak 12. in. diam. in the line.  
 24. 30 The Bed of a Run 4. lbs. wide. Course N. W.  
 31. 03 An Oak 27. in. diam. in the line.  
 40. 07 Set a Post corner to Op. Sec. from which a W. Oak 12.  
 in. diam. bears N. 45. W. 13. lbs. dist. & a W. Oak 8. in.  
 diam. bears S. 61. E. 28. lbs. dist.  
 57. 50 The Bed of a Run 8. lbs. wide. Course S. W.  
 75. 58 Intersect the South Boundary at a Post, corner of  
 Sec. 9. & 10. from which an Oak 12. in. diam. bears  
 N. 44. W. 24. lbs. dist. & an Oak 10. in. diam. bears N. 71.  
 E. 67. lbs. dist. Over hilly Upland 2<sup>nd</sup> rate. Timber  
 Oak & Hickory. & a thick growth of Underwood.
- 

## West Between Sec. 10. &amp; 15. T. 3. T. R. 7. W. On true line

20. 50 To a Run 4. lbs. wide. Course N.  
 40. 25 Set a Post corner to Op. Sec. from which a W. Oak 12. in. diam.  
 bears S. 39. E. 51. lbs. dist. & a W. Oak 14. in. diam. bears N. 38. W. 52. lbs.  
 51. 50 The Bed of a Run 4. lbs. wide. Course S. W.  
 67. 70 Intersected the S. Boundary line at a Post, corner of  
 Sec. 10. & 15. T. 3. T. R. 7. W. from which an Oak 30. in.  
 diam. bears N. 59. E. 45. lbs. dist. & an Oak 24. in. diam.  
 bears S. 87. E. 129. lbs. dist. Over 2<sup>nd</sup> rate Upland.  
 gently rising & Descending. Timber. Oak, Gum, Ash, &c.
- 

## West Between Sec. 4. &amp; 9. T. 3. T. R. 7. W. On true line.

12. 25 A Run 6. lbs. wide. Course N.  
 14. 80 To a W. Oak. 24. in. diam. in the line.



17. 50 A Run 3. lks. wide. Course N.E.  
 29. 30 To an Oak 16 in. diam. in the line.  
 34. 00 To a Run 4. lks. wide. Course North.  
 40. 00 Set a Post corner to Gt. Sec. from which a Dogwood 7 in. in diam. bears S. 37. E. 16. lks. dist. & an Oak 25 in. diam. bears N. 46. W. 05. lks. dist.  
 56. 02 A B. Oak 22 in. diam. in the line.  
 80. 00 Set a Post corner of Sec. 4. 5. 8. 9. T. 3. S. B. 7. W. from which an Oak 14 in. diam. bears N. 52. W. 15. lks. dist. & an Oak 13 in. diam. bears S. 37. E. 40 lks. dist.  
 Over hilly 2<sup>nd</sup> rate Upland. Timber, Oak, & Hickory.

- South Between Sec. 8. & 9. T. 3. S. B. 7. W. 2<sup>nd</sup> Mer.  
 20. 50 A Brook 12. lks. wide. Course N. W.  
 31. 86 To an Oak 8 in. diam. in the line.  
 40. 00 Set a Post corner to Gt. Sec. from which a Gum. 12 in. in diam. bears N. 52. E. 47. lks. dist. & an Elm 12 in. diam. bears S. 50. W. 66. lks. dist.  
 46. 70 Intersect the E. Boundary line at a Post between Sec. 8. & 9. T. 3. S. B. 7. W. from which an Oak 21 in. diam. bears N. 58. E. 41. lks. dist. & a W. Oak 21 in. diam. bears N. 50. W. 68. lks. dist. 2<sup>nd</sup> rate Land, Wednesday Dec. 3<sup>rd</sup>. 1804.

- North Between Sec. 4. & 5. T. 3. S. B. 7. W.  
 21. 00 Crossed a Brook 40 lks. wide. Course N. W. still water.  
 27. 00 2<sup>nd</sup> rate Upland gently rising & descending Oak. & Hick. Ash & Gum & covered with a thick growth of underwood.  
 30. 54 An Oak 24 in. diam. in the line.  
 40. 00 Set a Post corner to Gt. Sec. from which a W. Oak 24 in. diam. bears S. 71. E. 47. lks. dist. & a W. Oak 20 in. diam. bears N. 65. W. 48. lks. dist.  
 47. 63 To an Oak 27 in. diam. in the line.  
 76. 00 To a Run 6. lks. wide. Course N. W.  
 80. 00 Intersect the E. & W. line at a Post corner of Sec. 4. & 5. T. 3. S. B. 7. W. Over level Bottom land, 2<sup>nd</sup> rate Timber, Oak. Hickory. Ash. Maple. Gum. &c. rather wet.

T. S. S. R. No 7 W. 2<sup>nd</sup> Mer.

South Between Sec. 5. &amp; 6. T. 3. S. R. 7. W.

12. 00 To a Brook 40. lbs. wide; Course N.W.

15. 00 To a Brushy Prairie thinly with Oak.

40. 00 Set a Post corner to G<sup>th</sup> Sec. from which an Oak 18. in.  
diam. bears N. 25. W. 38. lbs. dist. 8 a55. 00 1<sup>st</sup> rate Upland. Timber. Oak. Gum. Ash, Elm. & Hick<sup>4</sup>.

75. 50 To a Run 4. lbs. wide. Course E.

80. 00 Set a Post corner of Sec. 5. 6. 7. & 8. T. 3. S. R. 7.  
W. from which an Oak 10. in. diam. bears S. 79. W. 45  
lbs. dist. 8 an Oak 12. in. diam. bears N 68. E. 4. lbs. dist.  
Good Bottom 2<sup>nd</sup> rate land. Ash. Elm. & Maple. Timber.

South Between Sec. 7. &amp; 8. T. 3. S. R. 7. W.

11. 50 To a Run 5. lbs. wide Course E.

18. 00 Intersect the S. Boundary line of the Purchase at a  
Post Between Sec. 7. & 8. from which an Oak 20. in. in  
diam. bears N. 18. E. 28. lbs. dist. 8 an Oak. 18. in. bears—

East Between Sec. 5. &amp; 8. T. 3. S. R. 7. W. On true line

11. 50 To a Run 4. lbs. wide; Course N. E.

25. 00 Brushy Prairie thinly timbered with Oak. Land Poor.

40. 20 Set a Post corner to G<sup>th</sup> Sec. no bearing trees;

50. 00 Poor Bottom Land. rather wet. Timber. Ash. Elm. &amp;c.

52. 50 To a Brook 25. lbs. wide; Course N.W.

80. 48 Intersect the N. & S. line at a Post corner of Sec. 4. 5.  
8. & 9. T. 3. S. R. 7. W. Land the same as the last.

West Between Sec. 6. &amp; 9. T. 3. S. R. 7. W. On true line

14. 50 To a Run 4. lbs. wide. Course N.W.

20. 00 To a Brushy Prairie; some timber.

36. 00 To a Run 4. lbs. wide. Course N.

40. 00 Set a Post corner to G<sup>th</sup> Sec. from which an Oak 8. in.  
diam. bears S. 61. E. 28. lbs. dist. 8 an Oak 9. in. diam.  
bears N. 82. E. 30. lbs. dist.51. 00 Intersect the S. Boundary line. & set a Post Between  
Sec. 6. & 7. T. 3. S. R. 7. W. from which an Oak 18. in.  
diam. bears N. 69. E. 21. lbs. dist. Saturday 8<sup>th</sup> of Dec. 1864.

T. 3. S. R. 7. W. 2<sup>nd</sup> Mer.

Over level 1<sup>st</sup> rate land. Timber. Oak, Hickory, Ash, &c.  
 Dec. 15<sup>th</sup> 1805 Surveyed by Stephen Benton, M. S.

South Between Tre? 13. & 14. T. 3. S. R. 7. W.

48. 00 Intersect the Indian Boundary

80. 00 Set a Post; Corner of Tre? 13. 14. 23. & 24. T. 3. S. R.  
 7. W. from which a Gypsoas q. in? diam? bears N 42. E.  
 44. lbs. dist. & a Dogwood 6 in? diam? bears S. 33. W. 39. lbs. dist.  
 Hilky 2<sup>nd</sup> rate land; Timber. W. Oak, Hick? Dogwood, & Gum.

East On a Random line Between Tre? 13. & 24. T. 3. S. R. 7. W.

40. 00 Set a Temporary Pt. Tre. Post for corner.

56. 00 To a Brook 15. lbs. wide. Course N.

62. 00 A Run 8. lbs. wide. Course N. W.

79. 90 Intersect the E. Range line 97. lbs. S. of the Post corner to  
 Tre? 13. & 24. Town 3. South R. 7. West.

West Between Tre? 13. & 24. T. 3. S. R. 7. W. Run line

39. 95 Set a Post corner to Pt. Tre. from which a W. Oak 12. in?  
 diam? bears S. 47. E. 14. lbs. dist. & W. Oak 18. in? diam?  
 bears N. 8. W. 30. lbs. dist.

79. 90 Intersect the Meridian at a Post corner of Tre? 13. 14. 23. & 24.  
 Hilky 2<sup>nd</sup> rate land. Timber. Oak. Hickory, & Gum.

South Between Tre? 23. & 24. T. 3. S. R. 7. W.

Land & Timber. the same as the last.

20. 63 A W. Oak 18. in? diam? in the line.

21. 00 To a Run 6. lbs. wide. Course S. W.

37. 00 To a Run 8. lbs. wide. Course W.

40. 00 Set a Post corner to Pt. Tre. from which a Dogwood 8. in?  
 diam? bears N 40 W. 63. lbs. dist. & W. Oak 21. in? diam?  
 bears S. W. E. 31. lbs. dist.

57. 93 To a W. Oak 16. in? diam? in the line.

60. 00 Set a Post corner to Tre? 23. 24. 25. & 26. T. 3. S. R. 7.  
 from which a Dogwood 8. in? diam? bears S. 50. E. 34. lbs.  
 dist. & a W. Oak 16. in? diam? bears N. 84 W. 6. 4. lbs. dist.

East On a Random line. Between Tre? 24. & 25. T. 3. R. 7.



T. P. 3. T. C. No 7. W. 9<sup>th</sup> Mer.

22. 00 To a Run 10. lbs. wide. Course S. E.  
 32. 00 To a Run 6. lbs. wide. Course S. W.  
 40. 00 Set a Temporary Op. Sec. Post. for corner.  
 50. 00 Intersect the E. Range line at the Post corner of Sec. 24 & 25.

- West Between Sec. 24 & 25. T. 3. T. C. 7. W. on true line  
 40. 00 Set a Post for Op. Sec. corner: from which a Gum 10 in.  
 diam. bears N. 56. W. 11. lbs. dist. & a Gum 12 in. diam.  
 bears S. 31. E. 34 lbs. dist.  
 80. 00 Intersect the Meridian at a Post corner of Sec.  
 23. 24. 25. & 26. Hilky 9<sup>th</sup> rate land. Timber.  
 Oak. Hickory, Gum. Ash. & Dogwood, Soil good; Nov 21<sup>st</sup> 1805.

- South Between Sec. 25 & 26. T. 3. T. C. 7. W.  
 15. 00 To a Run 8. lbs. wide. Course. S. E.  
 24. 44 To a Gum 12 in. diam. in the line.  
 40. 00 Set a Post corner to Op. Sec. from which a W. Oak 6 in.  
 diam. bears N. 79. E. 62. lbs. dist. & a W. Oak 18 in. diam.  
 bears N. 44. W. 11. lbs. dist.  
 51. 00 To a Run 15. lbs. wide. Course S. E.  
 62. 97 To a W. Oak 18 in. diam.  
 72. 50 Crossed a Trace from Chic. to Amherst.  
 78. 00 To a Run 10. lbs. wide. Course S. E.  
 80. 00 Set a Post corner of Sec. 25. 26. 35. & 36. from which  
 a W. Oak 18 in. diam. bears S. 15. E. 20. lbs. dist. & a W.  
 Oak 18 in. diam. bears N. 30. W. 50. lbs. dist.  
 This mile is Uncoven land. Soil. & Timber the same as the last.

- East On a Random line Between Sec. 25. & 36.  
 5. 00 To a Run 10 lbs. wide. Course S. E.  
 7. 00 Crossed a Trace. heading N. W.  
 9. 50 To a Brook 30. lbs. wide. Course South.  
 40. 00 Set a Temporary Op. Sec. Post.  
 49. 00 To a Run 6. lbs. wide. Course S. W.  
 58. 00 To a Run 8. lbs. wide. " S.  
 79. 70 Intersect E. R. line 225. lbs. S. of Post corner of Sec. 25. & 36.

T. N. 3. S. R. N. 7. W. 2<sup>nd</sup> Mer.

- West Between Sec. 25. & 36. On the true line T. 3. R. 7. W.  
 39. 55 Set a Post corner to G. Sec. from which a W. Oak 12 in.  
 diam. bears S. 30. E. 14. lbs. dist. & an Elm 6. in diam.  
 bears N. 50. W. 34. lbs. dist.  
 79. 70 Intersect the Meridian line at the corner of Sec. 25.  
 26. 35. & 36. T. 3. S. R. 7. W. Unbroken Land. Timber  
 W. Oak. Gum. Dogwood &c. Soil good.

- South Between Sec. 35. & 36. T. 3. S. R. 7. W.  
 14. 76 To a W. Oak. 22 in. diam. in the line.  
 40. 00 Set a Post corner to G. Sec. from which a W. Oak 18 in. bears N. 28.  
 W. 30. lbs. dist. & a W. Oak 12 in. diam. bears S. 18. E. 45. lbs. dist.  
 77. 10 Intersect the S. Boundary & fell E. of the mile Post 165.  
 lbs. Set a Post, corner of Sec. 35. & 36. T. 3. S. R. 7. W. from  
 which a Birch 12 in. diam. bears S. 32. W. 41. lbs. dist. &  
 a Birch 8 in. diam. bears N. 42. E. 11. lbs. dist. This mile, the  
 first half 2<sup>nd</sup> rate Land. Timber, Oak. Hickory Gum &c.  
 & the last half 1<sup>st</sup> rate Land. B. Oak. Hickory &c.

- South Between Sec. 14. & 15. T. 3. S. R. 7. W.  
 23. 09 Intersected the Indian Boundary  
 36. 00 To a Run 6. lbs. wide. course S. W.  
 40. 00 Set a Post corner to G. Sec. from which a W. Oak 8 in. in  
 diam. bears N. 68. E. 27. lbs. dist. & a W. Oak 15 in. diam.  
 bears S. 73. W. 20. lbs. dist.  
 45. 00 To a Run 8. lbs. wide. course S. W.  
 62. 40 A W. Oak 21 in. diam. in the line.  
 75. 00 To a Brook 15. lbs. wide. course S. W.  
 80. 00 Set a Post corner of Sec. 22. 23. 14. & 15. T. 3. S. R. 7. W.  
 from which a W. Oak. 9 in. diam. bears N. 48. E. 10. lbs. dist.  
 & a W. Oak 21 in. diam. bears S. 43. W. 57. lbs. dist.  
 This mile is mostly hilly. 2<sup>nd</sup> rate Land. Timber, W. Oak.  
 Gum. Hickory &c. Some good bottom on the Stream, Elm Ash &c.

- East On a Random line Between Sec. 14. & 23. T. 3. S. R. 7. W.  
 10. 00 To a Run 8. lbs. wide. course N.

T. 3. S. R. 7. W. 2<sup>nd</sup> Mer.

28. 00 To a Run 6 lbs. wide. Course N.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 40 Intersect the Meridian line at a Post corner of Sec. 13. 14. 23. & 24. & fell N. of the Post 35 lbs.

- West Between Sec. 14. & 23. On a true line, T. 3. S. R. 7. W.  
 40. 30 Set a Op. Sec. Post. for corner from which a W. Oak 9. in. diam. bears S. 63. E. 05 lbs. dist. & a W. Oak 16. in. diam. bears N. 23. W. 25 lbs. dist.  
 80. 40 Intersect the Meridian at a Post corner of Sec. 14. 13. 23. & 24. Hilky Upland. Timber. Oak. Hickory & Gum. Soil good.

- South Between Sec. 22. & 23. T. 3. S. R. 7. W.  
 32. 50 To a Run 6 lbs. wide. Course W.  
 33. 08 To a W. Oak 22. in. diam. in the line.  
 40. 00 Set a Post corner to Op. Sec. from which a W. Oak 18. in. diam. bears S. 58. E. 37 lbs. dist. & a W. Oak 9. in. diam. bears N. 59. W. 14 lbs. dist.  
 67. 00 To a Run 6 lbs. wide. Course S. W.  
 80. 00 Set a Post corner of Sec. 22. 23. 26. & 27. from which an Elm 8. in. diam. bears S. 66. E. 42 lbs. dist. & a W. Oak 9. in. diam. bears N. 46. W. 43 lbs. dist. This mile is removed 2<sup>nd</sup> rate land, some Bottom Timber. - W. Oak. Hickory. Gum Ash. Elm. &c. Nov. 23.<sup>d</sup> 1805.

- East Between Sec. 23. & 26. On a true line T. 3. S. R. 7.  
 40. 00 Set a Temporary Op. Sec. Post.  
 80. 20 Intersect the Meridian line at a Post corner of Sec. 23. 24. 25. & 26.

- West Between Sec. 23. & 26. On a true line T. 3. S. R. 7. W.  
 40. 10 Set a Post corner to Op. Sec. from which a Mulberry 8. in. diam. bears N. 70. W. 10 lbs. dist. & a Hickory 6. in. diam. bears S. 32. E. 14 lbs. dist.  
 80. 20 Intersect the Meridian line - 2<sup>nd</sup> rate land. Timber W. Oak. Hickory. &c. &c.



T. 3. S. R. 7. W. 2<sup>nd</sup>. Mer.

South Between Sec? 26. & 27. T. 3. S. R. 7. W.

37. 50 Unsprd a Tree.

38. 50 To a Run 10. lbs. wide. Course N. W.

40. 00 Set a Post corner to G<sup>o</sup> Sec. from which a W. Oak 9. in? diam? bears N 46. W. 09. lbs. dist? & a W. Oak 12. in? diam? bears S. 42. E. 34. lbs. dist?

64. 00 A Run 8. lbs. wide. Course W.

50. 00 Set a Post corner of Sec? 26. 27. 34 & 35. from which a W. Oak 18 in? diam? bears N. 32. W. 35. lbs. dist? & a B. Oak 6. in? diam? bears S. 65. E. 18. lbs. dist? Hilly Upland Timber. Oak, Hickory. Gum, &c; Soil good.

East On a Random line Between Sec? 26. & 35.

40. 00 Set a Temporary G<sup>o</sup> Sec. Post.

50. 00 Intersected the Meridian at Post corner of Sec? 26. 27. 34 & 35.

West On a true line between Sec? 26. & 35. T. 3. S. R. 7. W.

40. 00 Set a Post corner to G<sup>o</sup> Sec. from which a B. Oak 6. in? in diam? bears N. 64. W. 33. lbs. dist? & a B. Oak 6. in? diam? bears S. 42. E. 08. lbs. dist?

50. 00 Intersected the Meridian line at the corner of Sec? 27. 28. 33. & 34 - Hilly 2<sup>nd</sup> rate land; timber W. & B. Oak. Hickory &c. Gum, &c. &c.

South Between Sec? 34. & 35. T. 3. S. R. 7. W. This mile is 2<sup>nd</sup> rate land, gently uneven; W. & B. Oak. Hick? & Gum, &c.

40. 00 Set a Post corner to G<sup>o</sup> Sec. from which a W. Oak 22. in? diam? bears S. 19. W. 52. lbs. dist? & a W. Oak 12. in? diam? bears N. 55. E. 33. lbs. dist?

76. 76 Intersect the S. Boundary 3. 50. lbs. E. of the Post: Set a Post corner of Sec? 34. & 35. from which a W. Oak 10. in? in diam? bears N. 32. W. 38. lbs. dist? & a W. Oak 18. in? diam? bears S. 4. E. 33. lbs. dist?

South Between Sec? 9. & 10. T. 3. S. R. 7. W. 2<sup>nd</sup> rate Land; Timber. W. Oak, Hickory &c.

40. 00

T. N. 3. S. R. N. 7. W. 2<sup>nd</sup> Mer.

75. 50 Intersect Indian Boundary  
 80. 00 Set a Post corner of Sec. 9. & 10. 15. & 16. from which  
 a W Oak 20 in? diam? bears N 50. W. 09. lbs. dist. 8 &  
 W. Oak 15 in? diam? bears S. 57. E. 10. lbs. dist.

West Between Sec. 10. & 15. T. 3. S. R. 7. W.

67. 50 Intersecting the Indian Boundary  
 70. 00 Set a Run 6 lbs. wide. Course S  
 80. 00 Intersect the Meridian at a Post corner of Sec. 9. 10. 15. & 16.  
 Land. 2<sup>nd</sup> rate Timber. Hickory &c.

South Between Sec. 15. & 16. T. 3. S. R. 7. W.

30. 50 Set a Run 12 lbs. wide. Course S. W.  
 40. 00 Set a Post corner to Qt. Sec. from which a B. Jack 10.  
 in? diam? bears N 85. E. 24. lbs. dist. 8 & B. Jack 8. in? in  
 diam? bears S. 35. W. 34. lbs. dist.  
 58. 00 Set a Run 20 lbs. wide; Course S. W.  
 80. 00 Set a Post corner of Sec. 15. 16. 21. & 22. from which  
 a W Oak 9 in? diam? bears S. 23. W. 23. lbs. dist. 8 & a Hick? 10.  
 in? diam? bears N. 47. E. 15. lbs. dist. - This mile is  
 Poor land Land; Timber. Oak. Hickory, Birch, &c.  
 Undergrowth. Hard Birch & Pine. Nov. 23<sup>rd</sup> 1805.

East On a Random line. Between Sec. 15. & 22.

40. 00 Set a Temporary Qt. Sec. Post.  
 50. 00 Set a Run 8 lbs. wide. Course W  
 79. 30 Intersect the Meridian line at a Post corner of Sec.  
 14. 15. 22. & 23. Town 3. S. R. 7. W.

West Between Sec. 15. & 22. T. 3. S. R. 7. W.

39. 65 Set a Post corner to Qt. Sec. from which a W. Oak 18 in?  
 diam? bears N. 50. W. 32. lbs. dist. 8 & a Run 9 in? diam?  
 bears S. 44. E. 31. lbs. dist.  
 79. 30 Intersect the Meridian line at a Post corner of Sec.  
 15. 16. 21. & 22. The Land is 2<sup>nd</sup> rate. Timber,  
 Hickory, W. Oak. Gum &c. &c.

- South Between Sec. 21 & 22. Town 3. South Range 7. West
19. 50 To a Run 10. lbs. wide. Course S. E.
29. 27 To a M. Oak 12. in. diam. in the line
40. 00 Set a Post corner to G. Sec. from which a M. Ash 9. in. in. diam. bears N. 36. E. 26. lbs. dist. & a M. Ash 10. in. diam. bears S. 30. W. 25. lbs. dist.
42. 50 Crossed a Trace leading N. W.
47. 50 To a Brook 20. lbs. wide Course N. W.
54. 00 " " Same " " " " N. E.
60. 00 " " Same " " " " N. W.
65. 00 " " Same " " " " N. E.
80. 00 Set a Post corner of Sec. 21 & 22, 27 & 28. T. 3. R. 7. from which a Gum 12. in. diam. bears N. 76. W. 40. lbs. dist. & a M. Oak 22. in. diam. bears S. 65. E. 35. lbs. dist. This mile is level Swampy Land; Timber. Ash. Maple. M. Oak & Hick.

- 
- East On a Meridian line Between Sec. 22 & 27
3. 50 To a Brook 30. lbs. wide. Course S. W.
20. 00 Crossed a Trace.
39. 75 Set a Post corner to G. Sec. from which a M. Oak 18. in. in. diam. bears S. 19. W. 30. lbs. dist. & a Hick 10. in. diam. bears N. 20. E. 43. lbs. dist.
40. 00 Set a Temporary G. Sec. Post.
46. 00 To a Run 8. lbs. wide. Course S. W.
78. 00 To a Brook 20. lbs. wide; Course S. W.
79. 50 Intersect the Meridian line at a Post corner of Sec. 22, 23, 26 & 27. — 2<sup>nd</sup> rate Land, gently rising & descending. Timber. M. Oak, Hickory, Gum. &c.

- 
- South Between Sec. 26 & 27 T. 3. S. 3. R. 7. W. 2<sup>nd</sup> rate Land. Timber. M. Oak. Hickory & Gum.
40. 00 Set a Post corner to G. Sec. from which a Hickory 12. in. diam. bears N. 61. E. 13. lbs. dist. & a M. Oak 9. in. diam. bears S. 35. W. 60. lbs. dist.
50. 00 A Brook 12. lbs. wide Course S. W.
66. 98 A M. Oak 18. in. in. diam. in the line.



T. P. 3. S. E. N. 7. W. 2<sup>nd</sup> Mer.

80 16 Set a Post corner of Sec? 27. 28. 33. & 34. from which a W. Oak 12. in? diam? bears S. 35. E. 50. lbs. dist? & a W. Oak 15. in? diam? bears N. 58. W. 28. lbs. dist?.

East On a Random line Between Sec? 27. & 34. T. 3. S. E. 7. W.  
Land 2<sup>nd</sup> rate. Timber. W. & B. Oak. Gum. & Hickory.

8 00 To a Run 6. lbs. wide. Course S. W.

40 00 Set a Temporary Q<sup>t</sup>. Sec. Post.

79. 60 Intersect the Meridian 30. lbs. S. of the Post corner to Sec? 26. 27. 34 & 35.

West On a true line. Between Sec? 27. & 34. T. 3. S. E. 7. W.  
39. 80 Set a Post corner to Q<sup>t</sup>. Sec. from which a S. Oak 27. in? in diam? bears S. 60. E. 26. lbs. dist? & a S. Oak 6. in? diam? bears N. 87. W. 66. lbs. dist?

79 60 Intersect the Meridian at a Post corner of Sec? 27. 28. 33 & 34.

South Between Sec? 33. & 34. T. 3. S. E. 7. W.

37. 00 To a Run 6. lbs. wide. Course S. W.

46 00 Set a Post corner to Q<sup>t</sup>. Sec. from which a W. Oak 24. in? diam? bears N. 55. W. 21. lbs. dist? & a W. Oak 18. in? diam? bears S. 74. E. 31. lbs. dist?

50. 00 To a Run 6. lbs. wide. Course S. W.

60 06 A W. Oak 20 in? in diam? in the line

63. 50 To a Birch 50. lbs. wide. Course S. E.

75. 52 Intersect the S. Boundary 3.80 lbs. E. of the 5. mile Post.  
Set a Post at the Corner of Sec? 33. & 34. T. 3. S. E. 7. W.  
from which a W. Oak 8. in? in diam? bears N. 25. E. 23. lbs. dist? & a W. Oak 6. in? diam? bears S. 12. W. 24. lbs. dist?  
This mile mostly 2<sup>nd</sup> rate. Upland, gently uneven;  
Timber W. Oak. Hickory. Gum. Ash & some 1<sup>st</sup> rate Bottom.  
Nov 25<sup>th</sup> 1805.

South Between Sec? 8. & 9. T. 3. S. E. 7. W.

56. 72 Intersect the Indian Boundary.

58. 00 Unsprung a Trace leading N. W.

T. N. 3. G. R. N. 7. W. 2<sup>nd</sup> Mer.

64. 00 To a Brook 50. lbs. wide. Course N. W.  
 80. 00 Set a Post corner of Sec. 8. 9. 16. & 17. from which a Maple, 10. in? diam? bears S 84. W 16. lbs. dist? & a Maple 10. in? diam? bears N. 34. E. 11. lbs. dist? Level Swampy Land. Timber. Maple. Ash Elm. &c.

- East On a Random line. Between Sec. 9. & 16. T. 3. G. R. 7. W.  
 13. 00 To a Brook 50. lbs. wide. Course N. W.  
 14. 00 Crossed a Trail. S. W.  
 40. 00 Set a Temporary G<sup>d</sup> Sec. Post.  
 74. 14 Intersect the meridian at a Post corner of Sec. 9. 16. 15. & 16.

- West On a True line Between Sec. 9. & 16. T. 3. G. R. 7. W.  
 59. 57 Set a Post corner to G<sup>d</sup> Sec. from which a Logwood 6. in? in diam? bears N. 62. E. 30. lbs. dist? & a W. Oak 21. in? diam? bears S. 64. W. 45. lbs. dist? This mile is 2<sup>nd</sup> rate Land, generally Unimproved. Timber. Oak. Hickory &c. &c.

- South Between Sec. 16. & 17. T. 3. G. R. 7. W.  
 111 96 N. W. Oak 20. in? diam?  
 27. 00 To a Run 10. lbs. wide; Course E.  
 40. 00 Set a Post corner to G<sup>d</sup> Sec. from which a Gum 6. in? in diam? bears S. 23. E. 12. lbs. dist? & a Gum 6. in? diam? bears N. 75. W. 14. lbs. dist?  
 67. 00 To a Run 12. lbs. wide. Course E.  
 80. 00 Set a Post corner of Sec. 16. 17. 20. & 21. from which a B. Oak 8. in? diam? bears S. 10. E. 10. lbs. dist? & a W. Oak 8. in? diam? bears N. 36. E. 19. lbs. dist? The 1<sup>st</sup> half is 2<sup>nd</sup> rate land; Timber. Oak. Hickory Gum &c. & the 2<sup>nd</sup> half is Swampy Land. Timber. Ash. Elm. & Maple. &c. &c.

- East On a Random line. Between Sec. 16. & 21. T. 3. G. R. 7.  
 40. 00 Set a Temporary G<sup>d</sup> Sec. Post.  
 45. 00 To a Brook 40. lbs. wide. Course N. W.  
 56. 00 Crossed a Trail leading N. W.  
 80. 00 Intersect the mer. at a Post corner of Sec. 15. 16. 21. & 22.

T. 3. S. R. 7. W. 2<sup>nd</sup> Mer.

West Between Secs. 16. & 21. T. 3. South R. 7. W. on true line  
 110 00 Set a G<sup>o</sup> Sec. Post. from which a Maple 12. in. diam. bears  
 N. 54. E. 08. lbs. dist. & a Gum 6 in. bears S. 65. W. 14. lbs. dist.  
 Land 2<sup>nd</sup> rate. Timber. Oak. Hickory Ash. Gum, &c.

South Between Secs. 20. & 21. T. 3. S. R. 7. W.  
 21 24 A W. Oak 18. in. diam. in the line.  
 29. 00 To a Run 8 lbs. wide. Course N. W.  
 40. 00 Set a Post corner to G<sup>o</sup> Sec. from which a Hickory 12. in. in  
 diam. bears N. 35. W. 16. lbs. dist. & a B. Oak 12. in. diam.  
 bears S. 8. E. 57. lbs. dist.  
 65. 00 To a Brook 20. lbs. wide. Course N. E.  
 80. 00 Set a Post corner to Secs. 21. & 20. 26. & 29. from which  
 a W. Oak 20. in. diam. bears N. 76. E. 47. lbs. dist. & a W. Oak  
 9. in. diam. bears S. 37. W. 29. lbs. dist. This mile is  
 2<sup>nd</sup> rate land; Timber. Oak. & Hickory.

East On a Pradon line Between Secs. 21. & 28.  
 23. 00 To a Run 12. lbs. wide. Course N. E.  
 40. 00 Set a Temporary G<sup>o</sup> Sec. Post.  
 80. 00 Intersect the Mer. at a Post corner of Secs. 21. 22. 27. & 28  
 Mostly 2<sup>nd</sup> rate Upland. Timber. Oak. Hickory Gum  
 & some 2<sup>nd</sup> rate Bottom land. Ash. Elm. Maple. &c.

West Between Secs. 21. & 28. T. 3. S. R. 7. W.  
 110. 00 Set a G<sup>o</sup> Sec. Post. from which a W. Oak 16. in. diam. bears  
 S. 10. W. 07. lbs. dist. & a W. Oak 9. in. diam. bears N. 1. E. 30. lbs.  
 80. 00 Intersect the meridian at a Post corner of Secs. 20. 21. 28. & 29.

South Between Secs. 28. & 29. T. 3. S. R. 7. W. Land under  
 Timber. Oak. Hickory. Gum &c. Soil good.  
 20. 00 A Run 5. lbs. wide. Course N. W.  
 22. 27 Set W. Oak 16. in. in diam. in the line.  
 41. 00 Set a G<sup>o</sup> Sec. Post from which a W. Oak 21. in. diam. bears N. 37.  
 E. 32. lbs. dist. & a W. Oak 14. in. diam. bears S. 62. W. 53. lbs. dist.  
 58. 82 A W. Oak 18. in. diam. in the line.

T. N. B. S. B. N. 7. W. 2<sup>nd</sup> Mer.

30. 00 Set a Post corner of Sec. 28. 29. 32. & 33. from which a Dogwood 8 in. diam. bears N. 53. 12. E. 35. lbs. dist. & a W. Oak 14 in. diam. bears S. 62. W. 53. lbs. dist. Nov 25<sup>th</sup> 1805.

East On a Random line. Between Sec. 28. & 33. T. 3. R. 7. W.  
30. 00 To a Run 5 lbs. wide. course S. W.  
40. 00 Set a Temporary Q<sup>r</sup> Sec. Post.  
6.2. 00 To a Run 6 lbs. wide. course S.  
81. 40 Intersect the meridian line 45 lbs. N. of the Post. corner of Sec. 21. 22. 27. 28. Land & Timber the same as the last.

W. 36 Between Sec. 28. & 33. T. 3. S. R. 7. W.  
40. 70 Set a Post corner to Q<sup>r</sup> Sec. from which, from which a W. Oak 16 in. diam. bears S. 42. E. 51. lbs. dist. & a W. Oak 18 in. diam. bears N. 57. W. 11. lbs. dist.  
81. 40 Intersect the meridian at a Post. corner of Sec. 28. 29. 32. 33.

South Between Sec. 32. & 33. T. 3. S. R. 7. W.  
15. 50 To a Brook 15 lbs. wide, course S. E.  
20. 00 To a Run 10 lbs. wide, course E.  
40. 00 Set a Q<sup>r</sup> Sec. Post from which a B. Oak 12 in. diam. bears S. 38. E. 39. lbs. dist. & a Cherry 9 in. diam. bears N. 30. W. 25. lbs. dist.  
43. 00 To a Brook 20 lbs. wide. course E.  
70. 00 To a Run 4 lbs. wide. course S. E.  
75. 91 Intersect the S. Boundary 456 lbs. E. of the Post. & set a Post corner of Sec. 32. & 33. from which a W. Oak 20 in. diam. bears N. 27. W. 57. lbs. dist. & a Dogwood 7 in. diam. bears S. 30. E. 39 lbs. dist. This mile is hilly 2<sup>nd</sup> rate Land; Timber. Oak, Gum. Hickory &c.

West Between Sec. 6. & 7. T. 3. S. R. 7. W. 2<sup>nd</sup> rate land.  
Timber. Oak. Hickory Gum & Elm.  
40. 00  
50. 20 Intersect the Indian Boundary.  
52. 00 Describe a Trace leading N. W.  
94. 50 To a Brook 30 lbs. wide course N.



T. P. 3. S. E. P. 7. W. 2<sup>nd</sup> Mer.

102. 06 Intersect the W. Range line 1.38. lbs. S. of the Post;  
 & Get a Post corner of Sec. 6. & 7. from which a W. Oak 16.  
 in. diam. bears N. 67. E. 56. lbs. dist. & an Elm 14 in. in  
 diam. bears S. 71. W. 30. lbs. dist.

South Between Sec. 7. & 8. T. 3. S. E. 7. W. 2<sup>nd</sup> rate.  
 Upland. Thinly timbered with W. Oak. Hick. & Gum.  
 18. 00 Intersect the Indian Boundary  
 18. 50 Crossed a Trace.  
 40. 00 Get a Q<sup>r</sup>. Sec. Post from which a W. Oak 16 in. diam. bears N.  
 34. W. 46. lbs. dist. & a W. Oak 18 in. diam. bears S. 82. E. 12. lbs.  
 80. 00 Get a Post corner to Sec. 7. 8. 17. & 18. T. 3. S. E. 7. W.  
 from which a W. Oak 16 in. diam. bears N. 22. W. 29. lbs.  
 dist. & a W. Oak 18 in. diam. bears S. 34. E. 36. lbs. dist.

East On a Random line Between Sec. 8. & 17. 2<sup>nd</sup> rate Land  
 Timber Oak, & Hickory, some Bottom, Ash & Elm.  
 16. 00 To a Run 6. lbs. wide, course N. E.  
 37. 00 To a Run 6. lbs. wide. " North.  
 40. 00 Get a Temporary Q<sup>r</sup>. Sec. Post  
 80. 00 Intersect the meridian at a Post corner of Sec. 8. 9. 16. & 17.

West Between Sec. 5. & 17. T. 3. S. E. 7. W.  
 40. 45 Get a Q<sup>r</sup>. Sec. Post from which a W. Oak 10 in. diam. bears  
 S. 3. W. 22. lbs. dist. & a Sycamore 6 in. diam. bears N. 35. E. 22. lbs.  
 80. 96 To post cor of Sec. 7. 8. 17. 18

West Between Sec. 7. & 18. T. 3. S. E. 7. W. 2<sup>nd</sup> rate.  
 40. 00 Get a Q<sup>r</sup>. Sec. Post from which a W. Oak 15 in. diam. bears  
 S. 37. W. 35. lbs. dist. & a W. Oak 9 in. bears N. 47. W. 54. lbs. dist.  
 44. 62 To a Run 8. lbs. wide, course N. W.  
 85. 00 To a Run 10. lbs. wide, course N. W.  
 103. 05 Intersect the W. Range line 2.30. lbs. S. of the Post, Get a  
 Post corner of Sec. 7. & 18. from which a Gum. 9 in. diam.  
 bears N. 22. E. 63. lbs. dist. & a B. Oak 20 in. bears S. 62. E. 101. lbs. dist.  
 Thimble is 2<sup>nd</sup> rate land, Timber. Hickory Gum. W. & B. Oak. &c. &c.

T. N. 3. S. R. N. 7. W. 2<sup>nd</sup> Mer.Ch. 1<sup>st</sup> Mer

- South Between Sec. 17. & 18. T. 3. S. R. N. 7. W.  
 13. 50 To a Run 7. M. wide. Course E.  
 40. 00 Set a Gt. Sec. Post from which a W. Oak 14. in. diam. bears  
 N. 5. E. 48. M. dist. & a W. Oak 12. in. diam. bears S. 13. W. 39. M. dist.  
 65. 00 To a Run 5. M. wide. Course S. E.  
 80. 00 Set a Post corner of Sec. 17. 18. 19. & 20. from which a W.  
 Oak 7. in. diam. bears N. 36. E. 14. M. dist. & a W. Oak 10.  
 in. diam. bears S. 70. W. 37. M. dist. Land, 2<sup>nd</sup> rate.  
 Timber. W. & B. Oak. Hickory. & Gum. - Plum & Bushes.  
 Crab Apple trees. & Grape vines.

- East On a Random line. Between Sec. 17. & 20. T. 3. S. R. N. 7. W.  
 10. 00 To a Run 8. M. wide; Course N.  
 40. 00 Set a Temporary Gt. Sec. Post.  
 80. 20 Intersect the meridian at the Post corner of Sec. 16. 17. 20. & 21.  
 2<sup>nd</sup> rate Land. Timber, Oak, Hickory, Gum, Crab Apple, & vines.

- West Between Sec. 17. & 20. on the true line T. 3. S. R. N. 7. W.  
 46. 00 Set a Post corner to Gt. Sec. from which an Oak 9. in. diam.  
 bears S. 8. E. 15. M. dist. & a B. Oak 6. in. diam. bears  
 N. 42. E. 16. M. dist. Nov. 26. 18. 05.

- West Between Sec. 18. & 19. T. 3. S. R. N. 7. W. on true line.  
 35. 00 To a Brushy Prairie.  
 40. 00 Set a Gt. Sec. Post; no trees near.  
 65. 00 Through the Prairie.  
 105. 30 Intersect the W. Range line 3.17. M. S. of the Post;  
 & Set a Post corner of Sec. 18. & 19. T. 3. S. R. N. 7. W. from  
 which a W. Oak 20. in. diam. bears N. 71. E. 75. M. dist.  
 & a W. Oak 10. in. diam. bears S. 33. W. 38. M. dist.  
 This mile is a Poor Prairie & 2<sup>nd</sup> rate land. Timber. W.  
 & B. Oak. Hickory. &c. Brins. & vines.

- South Between Sec. 19. & 20. T. 3. S. R. N. 7. W.  
 10. 50 To a Run 4. M. wide. Course E.  
 20. 90 A W. Oak 12. in. diam. in the line.



T. 3. S. R. 7. W. 2<sup>nd</sup> Mer.

40. 00 Set a Post corner to G<sup>o</sup> Sec. from which an Aspen tree  
12. in? in diam<sup>r</sup> bears N. 32. E. 28. lbs. dist<sup>t</sup> & a W. Oak  
7. in? diam<sup>r</sup> bears S. 50. W. 29. lbs. dist<sup>t</sup>
59. 50 To a Run 4. lbs. wide. Course S. E.
80. 00 Set a Post corner of Sec. 19. 20. 29. & 30. from which a  
W. Oak 14. in? diam<sup>r</sup> bears N. 88. W. 56. lbs. dist<sup>t</sup> & a  
W. Oak 16. in? diam<sup>r</sup> bears S. 36. E. 10. lbs. dist<sup>t</sup>.  
Land. 2<sup>nd</sup> rate; Timber. W. & B. Oak, Hick<sup>y</sup> Gum, Aspen &c.

- East On a Random line Between Sec. 20. & 29
40. 00 Set a Temporary Post corner to G<sup>o</sup> Sec.
45. 00 To a Brook 20. lbs. wide. Course N. E.
50. 00 To a Run 6. lbs. wide. Course N.
80. 20. Intersect the Meridian 85. lbs. N. of the Post corner of Sec.  
20 20. 28. & 29. 2<sup>nd</sup> rate Land. Timber. Oak, Hickory,  
Maple & Dogwood;

- West Between Sec. 20. & 29. On a True line. T. 3. S. R. 7. W.
40. 10 Set a G<sup>o</sup> Sec<sup>t</sup> post from which a Maple 12. in? diam<sup>r</sup> bears S. 23.  
W. 17. lbs. dist<sup>t</sup> & a Maple 17. in? diam<sup>r</sup> bears N. 45. E. 29. lbs. dist<sup>t</sup>.
80. 20 Intersect the Meridian at a Post corner of Sec. 19. 20. 29. & 30.

- West Between Sec. 19. & 30. On a True line
4. 00 To a Run 4. lbs. wide. Course S. E.
40. 00 Set a G<sup>o</sup> Sec Post from which a Hickory 12. in? diam<sup>r</sup> bears S.  
82. W. 38. lbs. dist<sup>t</sup> & a Do. 12. in? diam<sup>r</sup> bears N. 4. W. 15. lbs. dist<sup>t</sup>.
44. 00 To a Run 3. lbs. wide. Course N. W.
61. 00 A Run 4. lbs. wide. Course North.
100. 00 To a Run 4. lbs. wide; Course N. W.
104. 60 Intersect the W. Range line 2.80. lbs. S. of the Post; &  
Set a Post corner to Sec. 19. & 30. T. 3. S. R. 7. W. from  
which a W. Oak 20. in? diam<sup>r</sup> bears N. 26. W. 25. lbs. dist<sup>t</sup>  
& a W. Oak 18. in? diam<sup>r</sup> bears S. 33. E. 05. lbs. dist<sup>t</sup>. This mile  
is 2<sup>nd</sup> rate Land; thinly timbered with Oak, Hickory & Dogwood.

- North. Between Sec. 29. & 30. T. 3. S. R. 7. W.
8. 00 To a Run 7. lbs. wide. Course S. E.

T. N. 3. S. R. 7. W. 2<sup>nd</sup> Mer.

26. 00 A Run 15. lks. wide. Course S. E.  
 30. 40 A W. Oak 12. in. diam. in the line  
 40. 00 Set a G<sup>r</sup>. Tree. Post from which a W. Oak 12. in. diam. bears N.  
 56. W. 19. lks. dist. & a Db. Oak 20. in. diam. bears S. 52. E. 28. lks. dist.  
 63. 00 To a Run 6. lks. wide. Course S. E.  
 80. 00 Set a Post corner of Sec. 29. 30. 31. & 32. T. 3. S. R. 7. W. from  
 which a W. Oak 16. in. diam. bears N. 12. E. 63. lks. dist. & a  
 Mulberry 10. in. diam. bears S. 20. W. 79. lks. dist. The Land is  
 2<sup>nd</sup> rate. Timber, W. Oak. Hickory, Gum, &c. many hairy Vines &c.

- East On a Random line Between Sec. 29 & 32. T. 3. S. R. 7.  
 1. 00 A Run 6. lks. wide. Course N. W. S. E.  
 37. 00 A Run 5. lks. wide. Course S. E.  
 40. 00 Set a Temporary Post corner to G<sup>r</sup>. Tree.  
 71. 00 To a Brook 28. lks. wide. Course S. E.  
 80. 70 Intersect the Meridian at a Post corner of Sec. 28 29. 32.  
 & 33. - Hilly 2<sup>nd</sup> rate Land. Timber. Oak. Hickory, &c.

- West Between Sec. 29 & 32. On a true line in T. 3. S. R. 7. W.  
 40. 30 Set a G<sup>r</sup>. Tree. Post from which a Hickory 12. in. diam. bears S. 14.  
 E. 14. lks. dist. & a Dogwood 9. in. diam. bears N. 32. W. 42. lks. dis  
 50. 70 Intersect the Meridian at a Post corner of Sec. 29. 30.  
 31. & 32. November. 27<sup>th</sup> 1865.

- West Between Sec. 30. & 31. On the true line T. 3. S. R. 7. W.  
 40. 00 To a Run 6. lks. wide. Course S. W.  
 40. 50 Set a G<sup>r</sup>. Tree. Post; from which a W. Oak 22. in. diam. bears S. 39.  
 W. 22. lks. dist. & a W. Oak 21. in. diam. bears S. 29. E. 10. lks. dist.  
 63. 00 To a Run 4. lks. wide. Course S. E.  
 86. 00 A Run 8. lks. wide; Course N. W.  
 103. 70 Intersect the W. Range line. 2.53. lks. S. of the Post corner  
 of Sec. 30. & 31. T. 3. S. R. 7. W. from which a W. Oak 16. in.  
 diam. bears N. 8. E. 38. lks. dist. & a W. Oak 12. in. diam. bears  
 S. 83. W. 25. lks. dist. 2<sup>nd</sup> rate Land, gently uneven,  
 Timber. W. Oak. B. Oak. & Hickory.

J. N. 3. J. R. N. 7. W. 2<sup>nd</sup> Mer.

South Between Secs. 31 & 32. Town 3. South Range 7 West.  
40.00 Set a Temporary Cor. Post from which, a W. Oak 12,  
in diam. bears S 23. W. 27. lbs. dist. & a W. Oak 15. in?  
diam. bears S 45. E. 29. lbs. dist.

76.68 Intersect the T. Boundary. 5.75 lbs. E. of the 5. mile  
Post, & set a Post corner to Secs. 31 & 32. T. 3. J. R.  
N. 7. W. from which a W. Oak 27. in? diam. bears S 25.  
W. 60. lbs. dist. & a W. Oak 8. in? diam. bears S 37. E. 33.  
lbs. dist. This mile. is 2<sup>nd</sup> rate Land, gently  
Uneven. Timber. W. Oak. Hickory. & Gum.

Nov. 28<sup>th</sup>. 1805.

Stephen Benton, A. S.

### East Boundary (in part.)

South On E. boundary of Sec. 13, from Cor. to Secs. 12 & 13  
16.40 a Creek 40 lbs. wide Course East

19.19 post & bearings, post thrown down & (marked trees, defaced  
all but One, and that a blazed line running E. from it.

75.69 to Freeman's Line

80.00 Set Cor. to Secs. 13 & 24, from which  
a W. Oak 18 in. diam. bears S 77. W. 33. lbs. dist. &  
a B. Oak 30 " " " S 89. E. 32 " "  
Poor land

South On E. boundary of Sec. 24

40.00 Set of Sec. post from which  
a W. Oak 18 in. diam. bears N 46. E. 20. lbs. dist. &  
a Dogw. 7 " " " S 46. W. 32 " "

80.00 Set post Cor. to Secs. 24 & 25, from which  
a W. Oak 14 in. diam. bears N 35. W. 4. lbs. dist. &  
a Ro. 8 " " " S 78. E. 38 " "  
3<sup>rd</sup> rate Hickory land, Oak &c.

South On E. boundary of Sec. 25

8.75. a run 15 lbs. wide Course S 10 E

34.50 a Ro. 10 " " " S 40 E

T<sup>3</sup>S. R<sup>7</sup>W. 2.<sup>d</sup> Mer. Indianach<sup>2</sup>. lky

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a P. Oak 36 in. diam. bran S 78 E 14 lky. dist. 7  
 a Hickory 14 " " " N 36 W 27 " "  
 80.00 Set first Cor. to Sec. 25 of 36, from which  
 a Dogwood 7 in. diam. bran S 25 E 23 lky. dist. 7  
 a W. Oak 24 " " " N 35 W 14 " "  
 Second rate till land

South On E. boundary of Sec. 36

- 9.75 a run 10 lky. wide Course N 45 W  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a P. Oak 11 in. diam. bran N 86 W 39 lky. dist. 7  
 a W. Oak 18 " " " N 85 E 43 " "  
 62.25 a run 10 lky. wide Course N 80 W  
 68.75 a Blazed trace from N 50 W. to S 50 E.  
 80.00 Set post Cor. to township, 3 of 4 South, of Range 6 of 7 W  
 2.<sup>d</sup> Mer. Indiana, from which  
 a W. Oak 24 in. diam. bran S 31 W 61 lky. dist. 7  
 a No. — " " " N 31 E 63 " "  
 Sand, hilly  
 December 6<sup>th</sup>, 1805  
 Edward W. Sappin &  
 Augustus Stone,  
 Deputy Surveyor

## South Boundary Random line

- West On S. boundary of Sec. 36 var. 7.40' E.  
 16.00 a run 12 lky. wide Course N 77 W.  
 40.00 Set temp. q<sup>r</sup>. Sec. post  
 59.00 a Brook 25 lky. wide Course South  
 80.00 Set temp. Cor. to Sec. 35 of 36. This mile level 2.<sup>d</sup>  
 rate land, timber Oak, Hickory, P. Sucker & many fruit trees

West On S. boundary of Sec. 35

- 40.00 Set temp. q<sup>r</sup>. Sec. post  
 80.00 Set temp. Cor. to Sec. 34 of 35  
 2.<sup>d</sup> rate land Oak, Hickory &c.



T3 S R7 W. 2<sup>d</sup> Mer. Indiana

ch. lks.

West On S. boundary of Sec. 34

10.00 a run 10 lks. wide Course S. E.

40.00 Set temp. q. Sec. post

64.00 a run 10 lks. wide Course S. W.

71.00 a Creek 40 lks. wide Course South

80.00 Set temp. Cor. to Sec. 33 &amp; 34

Mostly 2<sup>d</sup> rate upland Oak, Hickory & some bottom  
Ash, Elm, Sugar, W. Walnut &c.

West On S. boundary of Sec. 33

40.00 a run 10 lks. wide Course N. W. &amp; Set temp. q. Sec. post

76.00 a run 10 " " " S. E.

80.00 Set temp. Cor. to Sec. 32 &amp; 33

Gently uneven 2<sup>d</sup> rate land, W. Oak, Hickory, Gum &c.

West On S. boundary of Sec. 32

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 31 &amp; 32

2<sup>d</sup> rate land, W. Oak, Hickory, Gum, Sassafras &c

West On S. boundary of Sec. 31

18.00 a run 20 lks. wide Course South

40.00 Set temp. q. Sec. post

50.00 a run 12 lks. wide Course South

65.00 a Brook 15 " " " S. E.

70.00 Same " " " " N. E.

103.60 Intersected N. boundary 30 lks. North of post

2<sup>d</sup> rate upland & bottom, Oak, Hickory, Ash, Elm, Maple &c

## South Boundary, corrected

East On S. boundary of Sec. 31

63.60 Set q. Sec. post, from which

a W. Oak 18 in. diam. bran. N 40 W 41 lks. dist. of

a No. 12 " " " S 40 E 45 " "

103.60 Set post Cor. to Sec. 31 &amp; 32, from which

a W. Oak 16 in. diam. bran. N 29 W 12 lks. dist. of



T3S R7W. 2<sup>d</sup> Mer. Indianach. 2<sup>d</sup> 1/2 m.

W. Oak 18 in. diam. - bear S18 E 31 lks. dist

East On S. boundary of Sec 32

40.00 Set q. sec. post, from which

a Hickory 12 in. diam. - bear S64 W 25 lks. dist. of

a Elm 9 " " " N22 E 40 " "

80.00 Set post Cor. to Sec. 32 &amp; 33, from which

a Logwood 7 in. diam. - bear N2 E 21 lks. dist. of

a Do. 6 " " " S38 W 9 " "

East On S. boundary of Sec. 33

40.00 Set q. sec. post, from which

a Hickory 10 in. diam. - bear S56 E 13 lks. dist. of

a W. Oak 22 " " " N7 W 58 " "

80.00 Set post Cor. to Sec. 33 &amp; 34, from which

an Elm 8 in. diam. - bear N31 E 18 lks. dist. of

a W. Oak 8 " " " S70 W 46 " "

November 20<sup>th</sup> 1875

East On S. boundary of Sec. 34

40.00 Set q. sec. post, from which

a B. Oak 7 in. diam. - bear N11 E 20 lks. dist. of

a W. Oak 14 " " " S71 W 27 " "

80.00 Set post Cor. to Sec. 34 &amp; 35, from which

a Hickory 6 in. diam. - bear N45 E 18 lks. dist. of

a W. Oak 6 " " " S55 W 12 " "

East On S. boundary of Sec. 35

40.00 Set q. sec. post, from which

a W. Oak 18 in. diam. - bear N59 W 31 lks. dist. of

a B. Oak 9 " " " S18 E 65 " "

80.00 Set post Cor. to Sec. 35 &amp; 36, from which

a Beech 6 in. diam. - bear S28 E 70 lks. dist. of

a Do. 8 " " " N37 W 42 " "

East On S. boundary of Sec. 36

T3S, R7W, 2<sup>nd</sup> Mer, Indianach. 2<sup>nd</sup> l<sup>th</sup>.

- 40.00 Set of Sec. post, from which  
a Cherry 6 in. diam. bear S 81 E 10 l<sup>th</sup>, dist. of  
a 2<sup>nd</sup> Walnut 6 " " " N 30 W 15 " "  
80.00 to the Cor. of Township, 3 of 4 South, Range, 6 of 7 West  
November 21<sup>st</sup> 1875  
Stephen Benton, U. S.

## West Boundary

- South On E. boundary of Sec. 1, T3S, R8W  
40.00 Marked 1/4 Sec. Cor. on a Buck 30 in. diam.  
63.37 Intersected Freeman's Line Cornered on a Forked  
Maple 24 in. diam. Land level, thinly timbered  
with Oak, — briery — 1874 Surveyed by  
Edward W. Lippin & Augustus Stone, U. S. Surveyors  
72.00 a Pin Oak 9 in. diam. Oct. 28<sup>th</sup> 1875  
80.00 Set post Cor. to Sec. 1 of 12, from which  
a Hickory 11 in. diam. bear N 64 1/2 W 13 l<sup>th</sup>, dist. of  
a Do. 11 " " " S 86 1/2 E 35 " "  
Land level, timber Oak, Hickory, underg<sup>rd</sup> briery,  
Hazel brush &c.

- South On E. boundary of Sec. 12, T3S, R8W  
14.59 a water course 26 l<sup>th</sup>, wide run, N 11 E.  
22.07 a Hickory 11 in. diam.  
40.00 Set of Sec. post, from which  
a W. Oak 8 in. diam. bear N 35 E 35 l<sup>th</sup>, dist. of  
a Hickory 13 " " " N 84 W 28 " "  
62.24 a Hickory 13 " "  
80.00 Set post Cor. to Sec. 12 of 13, for which, a Gum  
12 in. diam. stands for the corner  
This mile over level land, timber Oak & Hickory very  
thickly with Hazel, Blackberry & Green briery

- South On E. boundary of Sec. 13, T3S, R8W  
21.12 a W. Oak 14 in. diam.  
40.00 Set of Sec. post, from which

# S3S R7W, 2<sup>d</sup> Mer. Indiana

ch. 1<sup>st</sup> 1/2 mi.

- a Hickory 8 in. diam. - brang S57 1/2 W 26 lks. dist. of  
 a Do. 8 " " " N47 E 30 " "  
 62.68 a Hickory 14 " "  
 80.00 Set post Cor. to Sec. 13 of 24, from which  
 a W. Oak 10 in. diam. - brang N28 E 14 lks. dist. of  
 a B. Oak 12 " " " N77 W 26 " "  
 First 1/2 mile Over brushy, briery & thickety land thinly  
 timbered with Oak & Hickory - last 1/2 mile well timbered  
 with Oak & Hickory Soil good for small grain  
 October 29<sup>th</sup> 1885

South On E. boundary of Sec. 24, S3S, R8W.

- 23.45 a B. Oak 35 in. diam.  
 40.00 Set of Sec. post, from which  
 a B. Oak 20 in. diam. - brang S87 W 45 lks. dist. of  
 a W. Oak 11 " " " S21 E 80 " "  
 76.25 a B. Oak 20 " "  
 80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Hickory 8 in. diam. - brang N37 1/2 E 29 lks. dist. of  
 an Elm 22 " " " S37 1/2 W 13 " "  
 Land level, timber Oak & Hickory, undergrowth,  
 Black berry & quince, grape vines etc.

South On E. boundary of Sec. 25, S3S, R8W

- 23.00 a Watercourse 16 lks. wide Course W.  
 28.00 a B. Oak 22 in. diam.  
 40.00 Set of Sec. post, from which  
 a B. Oak 30 in. diam. - brang N65 W 70 lks. dist. of  
 a Do. 6 " " " S27 E 36 " "  
 52.50 a B. Oak 20 " "  
 80.00 Set post Cor. to Sec. 25 of 36, from which  
 a W. Oak 30 in. diam. - brang N37 W 40 lks. dist. of  
 a W. Oak 10 " " " S22 E 5 " "  
 Land level, timber Oak & Hickory, first 3/4 briery  
 and brushy

T3S R7W. 2<sup>d</sup>. Mer. Indiana

ch. lks  
 South On E. boundary of Sec. 36, T3S. R8W.  
 17.24 a Hickory 11 m. diam.  
 26.40 a watercourse 6 lks. wide, Course E. a Bank of  
 Stone Coal, joining the south side of the water  
 40.00 Set of Sec. post, from which  
 a W. Oak 12 m. diam. bear N42W41 lks. dist. of  
 a B. Oak 14 " " " S19E19 " "  
 59.00 a W. Oak 20 " "  
 63.00 a watercourse 5 lks. wide Course N30W  
 80.00 Set post Cor. to Township 3 & 4 South, of Range  
 7 & 8 West, from which  
 a B. Oak 18 m. diam. bear S28W44 lks. dist. of  
 a W. Oak 22 " " " S80E50 " "  
 Sand level Soil rich & good for farming  
 Oak & Hickory, undg<sup>th</sup> Greenbrier & grape vines &c  
 S. A. Smith, R. S.

I certify that the foregoing transcript of field notes of town-  
 ship N. 3 South, of Range N. 7 West of the 2<sup>d</sup>. Principal  
 Meridian, Indiana, has been compared with the original  
 notes in this Office, and found to be correct.  
 Surveyor General's Office  
 Detroit Oct. 22 1849

Surveyor General